

# Partmaster Aerosol Brake Cleaner

## Safety Data Sheet

### 1. Identification of Substance & Company

#### Product

Product name	Partmaster Aerosol Brake Cleaner
HSNO approval	HSR002515
Approval description	Aerosols (Subsidiary Hazard) Group Standard 2017
UN number	1950
DG class	2.2
Proper Shipping Name	AEROSOL
Packaging group	NA
Hazchem code	2YE
Uses	Brake and parts cleaner

#### Company Details

Company	<b>Partmaster Products NZ</b>
Address	71F Adams drive, Auckland. New Zealand
Telephone	+64 9 238 2389 [8.00 - 4.30 Mon to Fri]
Fax	+64 9 238 2399

**Emergency Telephone Number: +64 21 930 795 (24 hours emergency only)**  
**National Poison Centre NZ (24 hours): 0800 POISON [764 766]**

### 2. Hazard Identification

#### Approval

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO, Approval HSR002515, Aerosols (Subsidiary Hazard) Group Standard 2017). The substance has been classified as hazardous according to the criteria in the Hazardous substances (Minimum Degrees of Hazard) Notice 2017.


#### Classes

#### Hazard Statements

6.3B	H316 - Causes mild skin irritation.
6.9B (narcotic)	H336 - May cause drowsiness or dizziness.
9.1B	H411 - Toxic to aquatic life with long lasting effects.

#### SYMBOLS

## WARNING



#### Other Classifications

There are no other classifications that are known to apply.

# Partmaster Aerosol Brake Cleaner

## Safety Data Sheet

### Precautionary Statements

P103 - Read label before use.  
P210 - Keep away from ignition sources. No smoking.  
P211 - Do not spray on an open flame or other ignition source.  
P251 - Pressurized container: Do not pierce or burn, even after use.  
P261 - Avoid breathing spray.  
P271 - Use only outdoors or in a well-ventilated area.  
P273 - Avoid release to the environment.  
P332+P313 - If skin irritation occurs: Get medical advice/ attention.  
P304+P340 - IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing.  
P312 - Call a POISON CENTRE or doctor/physician if you feel unwell.  
P391 - Collect spillage.  
P410 - Protect from sunlight. Do not expose to temperatures exceeding 50 °C.  
P403+P233 - Store in a well-ventilated place. Keep container tightly closed.  
P405 - Store locked up.

### 3. Composition / Information on Ingredients

Component	CAS/ Identification	Conc (%)
Petroleum distillates	8032-32-4	>60%
Isopropanol	67-63-0	1-10%
carbon dioxide (propellant)	124-38-9	1-10%
Ingredients not contributing to HSNO classes	mixture	balance

This is a commercial product whose exact ratio of components may vary. Trace quantities of impurities are also likely.

### 4. First Aid

#### General Information

If medical advice is needed, have product container or label at hand. You should call the National Poisons Centre if you feel that you may have been harmed or irritated by this product. The number is 0800 764 766 (0800 POISON) (24 hr emergency service).

**Recommended first aid facilities** Ready access to running water is required. Accessible eyewash is required.

#### Exposure

**Swallowed** IF SWALLOWED: Immediately call a POISON CENTER or doctor/physician. Do NOT induce vomiting. Rinse mouth. If vomiting occurs, place victim face downwards, with the head turned to the side and lower than the hips to prevent vomit entering the lungs.

**Eye contact** IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Apply continuous irrigation with water for at least 15 minutes holding eyelids apart. If eye irritation occurs: Get medical advice.

**Skin contact** IF ON SKIN: Wash with plenty of soap and water. If skin irritation occurs: get medical advice/attention. Take off contaminated clothing and wash before re-use.

**Inhaled** IF INHALED: Remove to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.

#### Advice to Doctor

Treat symptomatically

# Partmaster Aerosol Brake Cleaner

## Safety Data Sheet

### 5. Firefighting Measures

<b>Fire and explosion hazards:</b>	Vapours may form an explosive mixture in air which can be ignited by many sources such as pilot lights, open flames, electrical motors, switches and static electricity. Aerosols exposed to heat and flames may build pressure and explode.
<b>Suitable extinguishing substances:</b>	Carbon dioxide, extinguishing powder, foam.
<b>Unsuitable extinguishing substances:</b>	Unknown.
<b>Products of combustion:</b>	Carbon dioxide, and if combustion is incomplete, carbon monoxide and smoke. Water. May form toxic mixtures in air and may accumulate in sumps, pits and other low-lying spaces, forming potentially explosive mixtures.
<b>Protective equipment:</b>	Self-contained breathing apparatus. Safety boots, non-flammable overalls, gloves, hat and eye protection.
<b>Hazchem code:</b>	2YE

### 6. Accidental Release Measures

<b>Containment</b>	If greater than 1000L is stored, secondary containment and emergency plans to manage any potential spills must be in place. In all cases design storage to prevent discharge to storm water.
<b>Emergency procedures</b>	In the event of large spillage alert the fire brigade to location and give brief description of hazard. Stop the source of the leak, if safe to do so. Shut off all possible sources of ignition. Wear ear protective equipment to prevent skin, eye and respiratory exposure. Clear area of any unprotected personnel. Contain using sand, earth or vermiculite. Do not use sawdust. Prevent by whatever means possible any spillage from entering drains, sewers, or water courses. (If this occurs contact your regional council immediately).
<b>Clean-up method</b>	Use absorbent (soil, sand or other inert material). Rags are not recommended for the clean-up of spills, as they may create fire or environmental hazard. Collect and seal in properly labelled containers or drums for disposal. If contamination of crops, sewers or waterways has occurred advise local emergency services.
<b>Disposal</b>	There are no product-specific restrictions, however, local council and resource consent conditions may apply, including requirements of trade waste consents.
<b>Precautions</b>	Wear protective equipment to prevent skin and eye contamination and the inhalation of vapours. Work up wind or increase ventilation.

### 7. Storage & Handling

<b>Storage</b>	Avoid storage of harmful substances with food. Store locked up. Store out of reach of children. Containers should be kept closed in order to minimise contamination. Keep from extreme heat and open flames. Avoid contact with incompatible substances as listed in Section 10. including the Hazchem code, UN number, flammability warning and name of contents.
<b>Handling</b>	Keep exposure to a minimum, and minimise the quantities kept in work areas. See section 8 with regard to personal protective equipment requirements.

### 8. Exposure Controls / Personal Protective Equipment

#### Workplace Exposure Standards

A workplace exposure standard (WES) has not been established by WorkSafe NZ for this product. There is a general limit of 3mg/m<sup>3</sup> for respirable particulates and 10mg/m<sup>3</sup> for inhalable particulates when limits have not otherwise been established.

NZ Workplace Exposure Stds	Ingredient	WES-TWA	WES-STEL
	Petroleum distillates	100ppm, 525mg/m <sup>3</sup>	Not listed
	Isopropanol	400ppm, 983mg/m <sup>3</sup>	500ppm, 1230mg/m <sup>3</sup>
	Carbon dioxide	5000ppm 9000mg/m <sup>3</sup>	30000ppm 54000mg/m <sup>3</sup>

# Partmaster Aerosol Brake Cleaner

## Safety Data Sheet

### Engineering Controls

In industrial situations, it is expected that employee exposure to hazardous substances will be controlled to a level as far below the WES as practicable by applying the hierarchy of control required by the Health and Safety at Work Act (2015) and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016. Exposure can be reduced by process modification, use of local exhaust ventilation, capturing substances at the source, or other methods. If you believe air borne concentrations of mists, dusts or vapours are high, you are advised to modify processes or increase ventilation.

### Personal Protective Equipment

<b>Eyes</b>	Protective eyewear is not normally necessary when using this product. However, it is always prudent to use protective eyewear if splashes are likely.
<b>Skin</b>	If discomfort is felt (e.g., if pre-existing conditions exist, such as dermatitis, cuts or sensitive skin), gloves may be helpful. If you suffer from dermatitis type skin conditions, use gloves. Nitrile gloves are recommended. Protective gloves or suitably resistant material must comply with AS 2161. Replace frequently. Gloves should be checked for tears or holes before use.
<b>Respiratory</b>	A respirator when airborne concentrations approach the WES (section 8). Respirators must have filters appropriate to the duty and comply with AS/NZS1716 and selected, used and maintained in accordance with AS/NS 1715. Use a respirator with an organic vapour cartridge. If using a respirator, ensure that the cartridges are correct for the potential air contamination and are in good working order. Fit testing and clear guidelines and training for use and maintenance of PPE are necessary.

### WES Additional Information

Not applicable

## 9. Physical & Chemical Properties

<b>Appearance</b>	Aerosol
<b>Odour</b>	solvent odour
<b>pH</b>	no data
<b>Vapour pressure</b>	no data
<b>Viscosity</b>	no data
<b>Boiling point</b>	65-120°C
<b>Volatile materials</b>	no data
<b>Freezing / melting point</b>	no data
<b>Solubility</b>	not soluble in water, soluble in alcohol and white spirits
<b>Specific gravity / density</b>	0.76g/ml
<b>Flash point</b>	~0°C for the liquid
<b>Danger of explosion</b>	aerosol can can rupture
<b>Auto-ignition temperature</b>	no data
<b>Upper &amp; lower flammable limits</b>	no data
<b>Corrosiveness</b>	non corrosive

## 10. Stability & Reactivity

<b>Stability</b>	Stable
<b>Conditions to be avoided</b>	Flammable substance contained in the aerosol can. Keep away from sources of ignition at all times. Containers should be kept closed in order to avoid contamination.
<b>Incompatible groups</b>	oxidisers
<b>Substance Specific Incompatibility</b>	none known
<b>Hazardous decomposition products</b>	Oxides of carbon
<b>Hazardous reactions</b>	none known

# Partmaster Aerosol Brake Cleaner

## Safety Data Sheet

### 11. Toxicological Information

#### Summary

IF SWALLOWED: Not a likely route of exposure, due to the form (aerosol), but liquid contained in the aerosol may be fatal if swallowed and enters airways. May cause headaches, nausea, dizziness, fatigue, muscular weakness, drowsiness and loss of consciousness.

IF ON SKIN: causes skin irritation. Repeated or prolonged contact with the mixture may cause removal of the natural fat from the skin resulting in dryness, irritation and possible non-allergic contact dermatitis.

IF IN EYES: may cause mild irritation which is transient.

IF INHALED: may cause drowsiness or dizziness.

#### Supporting Data

<b>Acute</b>	<b>Oral</b>	Using LD <sub>50</sub> 's for ingredients, the calculated LD <sub>50</sub> (oral, rat) for the mixture is >5,000 mg/kg. Data considered includes: Isopropanol 3600 mg/kg (mouse).
	<b>Dermal</b>	No evidence of dermal toxicity.
	<b>Inhaled</b>	No evidence of acute toxicity.
	<b>Eye</b>	The mixture is not considered to be an eye irritant.
	<b>Skin</b>	The mixture is considered to be a skin irritant, because some of the ingredients (petroleum distillates, isopropanol) present are considered skin irritants in more concentrated form.
<b>Chronic</b>	<b>Sensitisation</b>	No ingredient present at concentrations > 0.1% is considered a sensitizer.
	<b>Mutagenicity</b>	No ingredient present at concentrations > 0.1% is considered a mutagen.
	<b>Carcinogenicity</b>	No ingredient present at concentrations > 0.1% is considered a carcinogen.
	<b>Reproductive / Developmental</b>	No ingredient present at concentrations > 0.1% is considered a reproductive or developmental toxicant or have any effects on or via lactation.
	<b>Systemic</b>	Inhalation may cause effects to the central nervous system and cause dizziness and drowsiness.
	<b>Aggravation of existing conditions</b>	None known.

### 12. Ecological Data

#### Summary

This mixture is toxic towards aquatic organisms with long lasting effects.

#### Supporting Data

<b>Aquatic</b>	Using EC <sub>50</sub> 's for ingredients, the calculated EC <sub>50</sub> for the mixture is between 1 mg/L and 10 mg/L. Data considered includes: Petroleum distillates
<b>Bioaccumulation</b>	No data
<b>Degradability</b>	No data
<b>Soil</b>	The mixture is not considered toxic to the soil environment.
<b>Terrestrial vertebrate</b>	This product is not considered toxic to terrestrial vertebrates. No LC <sub>50</sub> (diet) data for ingredients are available and the classification is based on the LD <sub>50</sub> (oral) – see section 11 – oral toxicity.
<b>Terrestrial invertebrate</b>	No data
<b>Biocidal</b>	No data

### 13. Disposal Considerations

<b>Restrictions</b>	There are no product-specific restrictions, however, local council and resource consent conditions may apply, including requirements of trade waste consents.
<b>Disposal method</b>	Disposal of this product must comply with the Hazardous Substances (Disposal) Notice 2017 and the requirements of the Resource Management Act for which approval should be sought from the Regional Authority. The substance must be treated and therefore rendered non-hazardous before discharge to the environment.
<b>Contaminated packaging</b>	Disposal of contaminated packaging must comply with the Hazardous Substances (Disposal) Notice 2017 clause 12. Do not puncture or incinerate containers.

# Partmaster Aerosol Brake Cleaner

## Safety Data Sheet

### 14. Transport Information

#### Land Transport Rule: Dangerous Goods 2005 - NZS 5433:2007

Transport according to NZS 5433 (Transport of Hazardous Substances on Land). Considered a dangerous good for transport.

<b>UN number:</b>	1950	<b>Proper shipping name:</b>	AEROSOL
<b>Class(es)</b>	2.2	<b>Packing group:</b>	NA
<b>Precautions:</b>	AEROSOL MARINE POLLUTANT	<b>Hazchem code:</b>	2YE

### 15. Regulatory Information

This product is an approved substance under the Hazardous Substances and New Organisms Act (HSNO). Approval code: HSR002515, Aerosols (Subsidiary Hazard) Group Standard 2017.

#### Specific Workplace Controls (as per HSNO approval referenced to Controls Matrix)

Key workplace requirements are:

SDS	To be available within 10 minutes in workplaces storing any quantity.
Inventory	An inventory of all hazardous substances must be prepared and maintained.
Packaging	All hazardous substances should be appropriately packaged including substances that have been decanted, transferred or manufactured for own use or have been supplied
Labelling	Must comply with the Hazardous Substances (Labelling) Notice 2017.
Emergency plan	Required if > 1000L is stored.
Certified handler	Not required.
Tracking	Not required.
Bunding & secondary containment	Required if > 1000L is stored.
Signage	Required if > 1000L is stored.
Location compliance certificate	Not required.
Flammable zone	Not required.
Fire extinguisher	Not required.

Note: The above workplace requirements apply if only this particular substance is present. The complete set of controls for a location will depend on the classification and total quantities of other substances present in that location.

#### Other Legislation

In New Zealand, the use of this product may come under the Resource Management Act and Regulations, the Health and Safety at Work Act 2015 and the Health and Safety at Work (General Risk and Workplace Management) Regulations 2016, local Council Rules and Regional Council Plans.

### 16. Other Information

#### Abbreviations

<b>Approval Code</b>	Approval HSR002515, Aerosols (Subsidiary Hazard) Group Standard 2017 Controls, EPA. <a href="http://www.epa.govt.nz">www.epa.govt.nz</a>
<b>CAS Number</b>	Unique Chemical Abstracts Service Registry Number
<b>Ceiling</b>	Ceiling Exposure Value: The maximum airborne concentration of a biological or chemical agent to which a worker may be exposed at any time.
<b>Controls Matrix</b>	List of default controls linking regulation numbers to Matrix code (e.g. T1, I16).
<b>EC<sub>50</sub></b>	Ecotoxic Concentration 50% – concentration in water which is fatal to 50% of a test population (e.g. daphnia, fish species)
<b>ERMA</b>	Environmental Risk Management Authority (now EPA)
<b>EPA</b>	Environmental Protection Agency (previously known as ERMA)
<b>HAZCHEM Code</b>	Emergency action code of numbers and letters that provide information to emergency services, especially fire fighters
<b>HSNO</b>	Hazardous Substances and New Organisms (Act and Regulations)
<b>IARC</b>	International Agency for Research on Cancer
<b>LEL</b>	Lower Explosive Limit
<b>LD<sub>50</sub></b>	Lethal Dose 50% – dose which is fatal to 50% of a test population (usually rats).
<b>LC<sub>50</sub></b>	Lethal Concentration 50% – concentration in air which is fatal to 50% of a test population (usually rats)
<b>MSDS (SDS)</b>	Material Safety Data Sheet (or Safety Data Sheet)

# Partmaster Aerosol Brake Cleaner

## Safety Data Sheet

<b>STEL</b>	Short Term Exposure Limit - The maximum airborne concentration of a chemical or biological agent to which a worker may be exposed in any 15 minute period, provided the TWA is not exceeded
<b>TWA</b>	Time Weighted Average – generally referred to WES averaged over typical work day (usually 8 hours)
<b>UEL</b>	Upper Explosive Limit
<b>UN Number</b>	United Nations Number
<b>WES</b>	Workplace Exposure Standard - The airborne concentration of a biological or chemical agent to which a worker may be exposed.

### References

<b>Data</b>	Unless otherwise stated comes from the EPA HSNO chemical classification information database (CCID) <a href="http://www.epa.govt.nz/hs/compliance/chemicals.html">http://www.epa.govt.nz/hs/compliance/chemicals.html</a> , for specific chemicals.
<b>EPA Transfer Gazettes Controls Matrix</b>	Classifications and controls assigned for specific ingredients (consolidated gazette, 2004) Part of the EPA New Zealand User Guide to the HSNO Control Regulations
<b>WES 2013</b>	The NZ Workplace Exposure Standards Effective from 2013, published by WorkSafe NZ and available on their web site – <a href="http://www.worksafe.govt.nz">www.worksafe.govt.nz</a> .
<b>Other References:</b>	Suppliers SDS

### Review

Date	Reason for review
July 2018	Not applicable – new SDS

### Disclaimer

This SDS was prepared by Datachem LTD and is based on our current state of knowledge, including information obtained from suppliers. The SDS is given in good faith and constitutes a guideline (not a guarantee of safety). The level of risk each substance poses is relevant to its properties (as summarised in the SDS) AND HOW THE SUBSTANCE IS USED. While guidelines are given for personal protective equipment, such precautions must be relevant to the use. The likely HSNO classifications for this SDS have been estimated based on general information from the supplier (e.g., hazard, toxicological). This SDS is copyright Datachem and must not be copied, edited or used for other than intended purpose. To contact the SDS author, email [info@datachem.co.nz](mailto:info@datachem.co.nz) or phone: +64 9 940 30 80.

